




Connecting to TVDSB's Wireless Network

For non-board and personal devices

Last Updated August 2023


Windows 10 & 11

In the system tray, click on the Wi-Fi icon then select the Wi-Fi network you wish to connect to "TVDSB-BYOD" Enter in your AD username and password when prompted. Select **Connect** if you are prompted to continue connecting.




MacOS


1. Select Wi-fi Icon from the Menu select "TVDSB-BYOD"



2. Select "No certificate selected" from the Drop-down
Account Name: tv***** Password *****
3. Select "OK".




4. Select "Continue"




iOS


1. Tap on "Settings"



2. Tap on Wi-Fi




3. Tap on "TVDSB-BYOD"




4. Add your Username tvxxxxx, Password: xxxxxxxx

5. Tap "Join"




6. Tap "Trust"




Android


1. Open "Settings" App and Select "Network and Internet"



2. Select "TVDSB-BYOD" under WiFi





3. Select "Connect" under TVDSB-BYOD"



4. Fill in EAP Method "PEAP", Phase 2 authentication "MSCHAPV2", Ca Certificate "Do not verify", Domain "TVDSB.ca Identity tv*****, Password *****,

Note: do not utilize MAC randomization on Androids. Privacy "Use device MAC"




These are the settings for Google Pixel's version of Android	All other versions of Android (Samsung)
EAP method: PEAP Phase 2 authentication: MSCHAPV2 CA certificate: Use system certificates Domain: tvdsb.ca	EAP method: PEAP Phase 2 authentication: MSCHAPV2 CA certificate: Do not check/validate Domain: tvdsb.ca


Tip: if you are having issue connecting to either iOS or Android, best to choose Forget Network and reconnect again.

Chromebook


1. Select Wi-fi Icon from the Menu select "Not connected"



2. Select "TVDSB-BYOD" under WiFi



3. Fill in EAP Method "PEAP", Phase 2 authentication "MSCHAPV2", Ca Certificate "Do not verify", Domain "TVDSB.ca Identity tv*****, Password *****



4. Select "Connect"

